

PRACTITIONER

DEMOCR, DEMOCR TEST

2602 S. 24th Street
Phoenix, Arizona 85034

PATIENT

Name: REPORT, SAMPLE

DOB: 11/01/1990

Gender: M

TEST	RESULT			
	IN RANGE (Normal)	EQUIVOCAL*	OUT OF RANGE	REFERENCE (ELISA Index)
Array 7X - Neurological Autoimmune Reactivity Screen - Expanded				
Myelin Basic Protein IgG + IgA	0.81			0.1-1.4
Myelin Basic Protein IgM	0.79			0.3-2.7
Asialoganglioside IgG+IgA	0.67			0.1-1.4
Asialoganglioside IgM	0.75			0.3-2.6
Alpha + Beta Tubulin IgG+IgA	0.78			0.4-1.4
Alpha + Beta Tubulin IgM	0.67			0.3-2.1
Cerebellar IgG+IgA	0.70			0.2-1.4
Cerebellar IgM	0.90			0.2-2.0
Synapsin IgG+IgA	0.87			0.1-1.2
Synapsin IgM	0.92			0.2-1.6

* Reference ranges are calculated based on the mean \pm 2 standard deviations (SD). Results > 1 SD, and <2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results >2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.